

- A. Sturdy 70mm Round profile upright
- B. Telescopic cable tidy tray (on back to back desk)
- C. Scratch resistant worktop with 120kgs load rating

- D. Cable access cut out
- E. Floor levellers



**Single desk**

750mm Deep  
1500/1600/1800/2100 – mm  
Width



**Back to back desk**


750mm Deep  
1500/1600/1800/2100 – mm  
Width








**PET Screen**

750mm Deep  
1500/1600/1800/2100 – mm  
Width

**Frame powder coat finish**



**Worktop finish (other finishes are available)**





### Full fabric spine screen

1250mm High with 450mm airgap  
1500/1600/1800/2100mm Wide  
\*fixed shared screen

### OXO Screen

1250mm High with 450mm airgap  
1500/1600/1800/2100mm Wide  
\*fixed shared screen


### PET wrap around desk screen

480mm above desk  
1500/1600/1800/2100\*mm Wide -  
- 300mm returns – or custom (\*Join)



### Perspex dividers

380mm above desk  
750 – mm Width  
- Smokey White finish



### Underdesk modesty panel

350mm High  
1200 / 1400 – mm Width  
– White or Black PC



### Screen toppers - Perspex

150mm High  
1500/1600/1800/2100 – mm  
Width – or Custom

### SLIMLINE 111 30mm PANEL SYSTEM



#### A. Spine screen

(Slimline111)

- 1250mm High with 450mm airgap x 1500/1600/1800/2100mm Wide
- Full fabric with alloy frame

#### B. Divider screen

(Slimline111 solid)

- 1250mm High x 750/900/1200mm Wide
- Full fabric to the floor

#### C. End screen

(Slimline111 solid)

- 620mm High x 750mm Wide
- Full fabric or melamine

